

# Firewise Landscape Policy Checklist

Completion Due by August 2021				Completion Due by August 2022			
<ul style="list-style-type: none"> <li>The checklist below is aligned to the 2nd Amended Firewise Landscape Policy. Policy can be viewed at <a href="https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/">https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/</a></li> <li>Architectural application required.</li> </ul>				<ul style="list-style-type: none"> <li>The checklist below is aligned to the 2nd Amended Firewise Landscape Policy. Policy can be viewed at <a href="https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/">https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/</a></li> <li>Architectural application required.</li> </ul>			
Zone 1 0'-5'	Junipers removed. Required removal 8/31/2021.	Y	N	Zone 1 0'-5'	Junipers removed.	Y	N
	Plants on OVA "Do Not Plant" list removed.	Y	N		Tree limbs extending into this 0-5' ignition zone around home removed.	Y	N
	Allowed shrubs healthy & cleaned of dead wood.	Y	N		Dead & dying branches overhanging roof removed.	Y	N
	Wood & rubber mulches removed.	Y	N		Healthy overhanging branches & limbs trimmed to >6' from roof or structures <b>and</b> 10' from chimney.	Y	N
Zone 2 5'-30'	Junipers removed. Required removal 8/31/2022.	Y	N	Zone 2 5'-30'	Junipers removed.	Y	N
	Dead branches removed from trees & shrubs.	Y	N		Dead branches removed from trees & shrubs.	Y	N
	Dead trees & shrubs removed.	Y	N		Dead trees & shrubs removed.	Y	N
	Wildland grasses cut/mowed to 4".	Y	N		Wildland grasses cut/mowed to 4".	Y	N
	Finely shredded redwood & cedar bark removed(gorilla hair, rubber mulch).	Y	N		Ladder fuel removed from areas under tree canopies, making it free of weeds & dry plant material. Shrubs should be pruned so that they do not create ladder fuel.	Y	N
<b>Above to be completed by August 31, 2021</b>				<b>Above to be completed by August 31, 2022</b>			

\*Note: Oakmont policy allows existing plants to remain in the 5-foot zone if they are not on the "Do Not Plant List". The policy also allows **new** approved irrigated plants up to 18-inch full grown height for plants not on the "Do Not Plant List".  
**\*\*For recommendations of contractors who do Home Hardening work, contact the OVA Architectural office.**

Completa de agosto 2021				Completa de agosto 2022			
<ul style="list-style-type: none"> <li>Este lista abajo ea de las políticas de OVA Firewise. La política se puede ver a <a href="https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/">https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/</a></li> <li>Se requiere una aplicación de arquitectura.</li> </ul>				<ul style="list-style-type: none"> <li>Este lista abajo ea de las políticas de OVA Firewise. La política se puede ver a <a href="https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/">https://oakmontvillage.com/article/second-amended-firewise-landscape-policy/</a></li> <li>Se requiere una aplicación de arquitectura.</li> </ul>			
Zone 1 0'-5'	Enebros eliminated-removal required august 31, 2021	Y	N	Zone 1 0'-5'	Enebros eliminated	Y	N
	Las plantas de la lista OVA inflamable eliminados	Y	N		Eliminados las ramas de árboles que se extienden hacia esta zona inflamable de 0'-5' alrededor la casa	Y	N
	Permitió arbustos sanos y limpios de madera muerta	Y	N		Eliminado las ramas muertas y moribundas que sobresalían del techo	Y	N
	Eliminado los mantillos de madera y caucho	Y	N		Ramad y ramas colgantes sanas recortadas a menos de 6' del techo o estructura Y a 10' de la chimenea	Y	N
Zone 2 5'-30'	Enebros eliminated-removal required august 31, 2022	Y	N	Zone 2 5'-30'	Enebros eliminated	Y	N
	Ramas muertas retiradas de árboles y arbustos	Y	N		Ramas muertas retiradas de árboles y arbustos	Y	N
	Eliminación de árboles y arbustos muertos	Y	N		Eliminación de árboles y arbustos muertos	Y	N
	Pastos silvestres cortados/cortados a 4"	Y	N		Pastos silvestres cortados/cortados a 4"	Y	N
	Secoya finamente triturada y corteza de cedro eliminada (pelo de gorila, mantillo de caucho)	Y	N		Combustible de escalera eliminado de áreas debajo de las copas de los árboles. Sin malas hierbas o plantas secas. Shrubs should be pruned so that they do not create ladder fuel.	Y	N
<b>Arriba completa 31 de agosto 2021</b>				<b>Arriba completa 31 de agosto 2022</b>			

\*Nota: Oakmont política se permiten las plantas existen si ellas no en la lista "No Plantar Lista". Este política se permite las plantas regadas nuevas a 18" si no en la lista: "No Plantar List".  
**\*\*Contacto la oficina de OVA Architectural por recomendaciones de contractistas por el trababo Jardin de Casas.**